

ESI-200 Communications Server



System highlights *(maximum capacities shown)*

Total stations	192
IP stations	192
Digital stations	168
Analog stations	56
Call-processing ports	300
Central Office (CO) lines	84
Digital line cards (T1/PRI) ¹	3
Voice mail ports	Up to 24
Voice storage (hours)	Up to 600
Station/special-purpose mailboxes	1,229
Conference ports (16 members/conference)	24
Shared-office tenanting (tenants)	4
ESI Bluetooth® Voice Integration	Optional
ESI Presence Management	Optional
ESI Media Management	Optional
ESI Mobile Messaging	Optional
VIP applications	Optional
Mirrored Memory Module (M3) backup	Optional

Plus other ESI Communications Server features:

- Both digital and IP-based
- Standard-based design (including SIP support)
- ESI's Verbal User Guide™
- Six-level, 100-branch automated attendant
- Automatic call distribution (ACD)
- ESI phones
 - Desktop and cordless models
 - Digital and IP
 - Some models available with backlit displays
- Optional IP-based features, including Esi-Link (combines up to 100 ESI systems into one)

Growth capabilities

The ESI-200 architecture allows expansion when required. Each system cabinet (one Base Cabinet or an optional Expansion Cabinet) mounts in a standard equipment rack or on the wall.



We Make It Easy To Communicate

www.esicomservers.com

ESI-200 Communications Server

Unless indicated by the ☞ symbol, items and capacities shown are common to all ESI Communications Servers.²

Growth capabilities

- 300 call-processing ports ☞
- Up to 24 voice mail channels and 600-hour message storage ☞
- Support for dozens of ESI phones in varying combinations, digital and IP, depending on installation (all-IP: 192 stations; all-digital: 168 stations) ☞
- Up to four tenants ☞
- Up to 100 networked Esi-Link-enabled systems
- Up to 56 fully functional analog ports ☞
- Up to 32 60-Key Expansion Consoles ☞
- Three-digit and four-digit flexible numbering plans ☞
- System maintenance via built-in LAN/WAN connection
- Optional SIP trunking

Standards-based design

- SIP, G.711, G.726, and G.729³ compression; 802.11 100-Base-TX Ethernet; 802.3af Power Over Ethernet; UDP; DHCP
- QoS: 802.1p prioritization; 802.1q VLAN; DiffServ

Call handling

- Enhanced Caller ID⁴ allows one-touch automatic message return with ESI Feature Phones (supports basic Caller ID features on non-ESI analog phones)
- Account codes for greater accountability
- Intelligent Call Forwarding⁵ sends original caller's Caller ID⁴ information to off-premises number (requires PRI line)
- Caller ID key shows Caller ID⁴ for last 25 callers, for one-touch call return
- Live call recording of any conversation or personal "voice memo"; allows moving and copying recordings to others' mailboxes (auto-recording⁵ available with optional VIP family of applications)
- Live call screening allows listening to an incoming message, as on a home answering machine; pick up call at any time or let it go to voice mail
- Highest-grade voice quality (64 kilobit/second sampling) for voice mail and other voice storage
- Call waiting with Caller ID⁴
- Virtual Answer Key⁶ for recording custom greetings to handle select callers when they're in call waiting
- Up to 24 conference callers (maximum of 16 per conference) ☞
- Background announce
- Trunk-to-trunk transfer
- Music/message-on-hold (MOH) port and 12 MOH tracks, three pre-recorded and nine customizable
- Dedicated overhead paging interface
- QuickPage⁷ for paging notification of held calls
- Loop keys for easily managing multiple calls simultaneously

ESI's Verbal User Guide⁸

- **HELP** key on ESI desktop phone provides assistance
- Thousands of prompts for users, administrators, and installers

Built-in voice mail

- Up to 24 voice mail channels and 600-hour message storage ☞
- Blue **VOICE MAIL** key on ESI desktop Feature Phone⁹
- Off-premises message delivery (cell phone or pager)
- Urgent message notification
- Multiple mailbox types, including group, broadcast, informational, cascade notification, guest, and Q & A
- Can restore each mailbox's 10 most recently deleted messages
- Quick Groups¹⁰ for one-step moving of a voice message to other user mailboxes
- Quick Move¹¹ for saving a message to other user mailboxes during call recording
- Virtual Mailbox Key¹² for monitoring of additional mailboxes
- Off-premises "reach-me" can let someone forwarded to a voice mailbox still reach the called party at a designated number
- AutoPage¹³ for alerting users over Feature Phone speakers (or, if connected, overhead paging system)

Automated attendant

- Six levels, 100 branches; includes off-premises transfer
- Automated trunk-to-trunk transfer

Automatic call distribution (ACD)

- Routes calls within designated departments based on agent availability
- Reporting
- ACD queue prioritization and overflow routing

Shared-office tenanting

- Up to four tenants ☞
- Assignment of CO lines
- Each station and ACD department can be assigned to one tenant
- Auto attendant can have different greetings, day/night settings, and routing to specific locations, just as if each tenant had its own system
- Separate operator positions for each tenant, or centralized answering

ESI Feature Phones

- Different models for varying needs
 - 48-Key Feature Phone¹ in multiple versions: Digital and IP (local/remote with 802.3af Power Over Ethernet)
 - 24-Key Digital Feature Phone²
 - 12-Key Digital Feature Phone
 - Cordless Handset II in Digital, (local) IP, and Remote IP versions
- Dedicated feature keys
- Headset operation³
 - Each 48-Key Feature Phone and Cordless Handset II includes headset jack
- Features specific to desktop Feature Phones:
 - Four-position tilt; wall-mountable
 - Rugged design resists abuse, spills
 - Large display and built-in speakerphone⁸
 - Up to 30 programmable feature keys
 - Volume/scroll keys
- Esi-Dex⁴ speed-dialing (desktop Feature Phones⁸ only)
 - Three separate numbers lists: Personal Dex, Station Dex, and System Dex (using Caller ID⁴ information or direct keypad entries)
 - Location Dex shows Esi-Link and remote station locations (if applicable)
 - Feature Dex for use with programmable feature keys

Optional ESI Bluetooth Voice Integration

- ESI Cellular Management lets you use an ESI phone to manage calls to and from a Bluetooth-enabled cell phone
- ESI Bluetooth Headset Interface "pairs" your Bluetooth headset to your ESI phone, allowing you to answer, originate, and terminate calls seamlessly, using the headset

Optional ESI Presence Management

- Works with ESI system to help you manage comings and goings into your facility and maintain security
- Shows who is and isn't on the premises, avoiding wasted pages
- Used with optional third-party software⁵, can help eliminate payroll errors and the need for physical time cards
- Access data can be archived (with optional ESI Media Management)

Optional ESI Media Management

- Provides software and hardware to monitor workplace and (with ESI Presence Management) help you control access
- Lets authorized supervisors perform call recording/monitoring to help improve your employees' customer service and efficiency
- Allows review of footage captured by standard video cameras throughout your building
- Archives system-created video, audio, and data for off-system storage



Four angle positions

An ESI desktop Feature Phone has four-position tilt and is wall-mountable.

To learn more about ESI Communications Servers, consult their brochure¹³ or visit www.esicomservers.com/CS.

1. PRI on ESI-50; PRI and T1 on ESI-100, ESI-200, ESI-600, and ESI-1000. 2. To support certain ESI Communications Server features, the entry-level ESI-50L Communications Server must be upgraded to an ESI-50 Communications Server; for more details about this, please consult your Certified ESI Reseller. 3. G.729 not supported on ESI-50. 4. Caller ID information available if your telephone service provides it. Contact your provider for details. 5. Auto-recording requires VIP Professional-compatible application and optional license. 6. Except for 12-Key Digital Feature Phone, on which voice mail is accessed via a programmable feature key. 7. Available with backlit display. 8. Not on 12-Key Digital Feature Phone. 9. Sold and supported by Wasp Barcode Technologies (www.waspbarcode.com). 10. Outlook-integrated version requires Outlook 2000, 2002, 2003, or 2007. 11. Creation of custom reports requires Crystal Reports[™] (Standard Edition or Professional Edition). 12. Certain minimum LAN/WAN bandwidth and data latency requirements apply. 13. ESI document 0450-1052, available from your ESI Reseller or www.esicomservers.com/brochures.

Copyright © 2009 ESI (Estech Systems, Inc.). Esi-Dex, Intelligent Call Forwarding, Quick Groups, Quick Move, Quick Call, VIP, VIP Professional, VIP PC Attendant Console, Virtual Answer Key, Virtual Mailbox Key, AutoPage, QuickPage, and Verbal User Guide are trademarks of ESI. Other trade names mentioned herein are trademarks of their respective owners. ESI products are protected by various U.S. Patents, granted and pending. Product details and features described herein are subject to change without notice. Some features may not be available at initial release. Equipment rack not included. More information on ESI and its products is available at www.esicomservers.com.